

## Bristol Regional Medical Center

| MS-DRG (ICD-10) | MS-DRG Description                       | Geo LOS Observed | Mortality Observed | Readmissions Observed (HWR) | Severity Adjusted Cost per Case |               |
|-----------------|--|------------------|--------------------|-----------------------------|---------------------------------|---------------|
| 871             | SEPTICEMIA/SEV SEPSIS WO MV>96 HR W MCC  | 5.12             | 14.94%             | 17.03%                      | \$9,332                         | <b>TOP 10</b> |
| 795             | NORMAL NEWBORN                           | 1.29             | 0.00%              | 0.00%                       | \$55                            |               |
| 807             | VAGINAL DELIVERY WO STERZN/D&C WO CC/MCC | 1.59             | 0.00%              | 0.55%                       | \$4,880                         |               |
| 177             | RESPIRATORY INFCT&INFLAMMATIONS W MCC    | 4.78             | 7.48%              | 10.41%                      | \$7,864                         |               |
| 291             | HRT FAILURE AND SHOCK W MCC              | 4.44             | 3.39%              | 23.71%                      | \$6,667                         |               |
| 794             | NEONATE W OTHER SIGNIFICANT PROBLEMS     | 1.56             | 0.00%              | 0.00%                       | \$101                           |               |
| 872             | SEPTICEMIA/SEV SEPSIS WO MV>96 HR WO MCC | 3.38             | 1.65%              | 10.84%                      | \$5,257                         |               |
| 788             | CESAREAN SECTION WO STERZN WO CC/MCC     | 1.90             | 0.00%              | 0.00%                       | \$7,754                         |               |
| 193             | SIMPLE PNEUMONIA AND PLEURISY W MCC      | 4.10             | 2.06%              | 18.92%                      | \$6,425                         |               |
| 690             | KIDNEY&URINARY TRACT INFCT WO MCC        | 2.36             | 0.00%              | 14.84%                      | \$3,843                         |               |
| 378             | G.I. HEMRG W CC                          | 2.67             | 1.17%              | 14.37%                      | \$5,524                         |               |
| 65              | INTRCRN HEMRG/CEREB INFRC W CC/TPA 24 HR | 2.60             | 1.20%              | 10.56%                      | \$5,002                         |               |
| 189             | PULMONARY EDEMA AND RESPIRATORY FAILURE  | 3.17             | 2.45%              | 20.26%                      | \$5,351                         |               |
| 853             | INFCT&PARASITIC DZ W O.R. PROC W MCC     | 8.54             | 8.75%              | 21.83%                      | \$21,289                        |               |
| 392             | ESOPHTS,GASTREN&MISC DGSTV DISORD WO MCC | 2.36             | 0.00%              | 12.75%                      | \$3,869                         |               |
| 698             | OTHER KIDNEY&URINARY TRACT DX W MCC      | 6.05             | 5.04%              | 26.52%                      | \$9,698                         |               |
| 638             | DIABETES W CC                            | 2.84             | 0.00%              | 9.77%                       | \$4,847                         |               |
| 683             | RENAL FAILURE W CC                       | 2.95             | 1.42%              | 17.16%                      | \$4,343                         |               |
| 190             | CHRONIC OBSTRUCTIVE PULMONARY DZ W MCC   | 3.25             | 0.00%              | 24.00%                      | \$5,569                         |               |
| 682             | RENAL FAILURE W MCC                      | 4.71             | 7.20%              | 18.26%                      | \$7,631                         |               |
| 247             | PERC CV PROC W DRUG-ELUTING STENT WO MCC | 2.12             | 0.00%              | 4.07%                       | \$12,534                        |               |
| 481             | HIP&FEMUR PROC EXCP MAJOR JOINT W CC     | 4.04             | 0.00%              | 6.03%                       | \$11,436                        |               |
| 641             | MISC DISORD NUTR FLUIDS&ELELYT WO MCC    | 2.02             | 0.00%              | 15.93%                      | \$3,299                         |               |
| 870             | SEPTICEMIA/SEV SEPSIS W MV >96 HOURS     | 13.25            | 56.14%             | 16.33%                      | \$41,169                        |               |
| 689             | KIDNEY&URINARY TRACT INFCT W MCC         | 4.35             | 2.61%              | 9.17%                       | \$6,377                         |               |
| 377             | G.I. HEMRG W MCC                         | 4.26             | 4.63%              | 16.67%                      | \$9,178                         |               |
| 806             | VAGINAL DELIVERY WO STERZN/D&C W CC      | 1.66             | 0.00%              | 4.55%                       | \$5,095                         |               |
| 309             | CARD ARRHYTHMIA&CONDUCTION DISORD W CC   | 2.06             | 0.93%              | 6.80%                       | \$3,654                         |               |
| 64              | INTRCRN HEMRG OR CEREBRAL INFRC W MCC    | 4.51             | 20.75%             | 11.11%                      | \$8,943                         |               |
| 603             | CELLULITIS WO MCC                        | 2.80             | 0.00%              | 4.30%                       | \$4,237                         |               |
| 280             | ACUTE MYCARD INFRC, DISCH ALIVE W MCC    | 5.04             | 0.00%              | 18.18%                      | \$9,198                         |               |
| 854             | INFCT&PARASITIC DZ W O.R. PROC W CC      | 3.82             | 0.00%              | 11.36%                      | \$9,208                         |               |
| 287             | CIRCULATORY DISORD EXCEPT AMI            | 2.10             | 0.00%              | 3.49%                       | \$6,283                         |               |
| 194             | SIMPLE PNEUMONIA AND PLEURISY W CC       | 2.99             | 1.20%              | 10.00%                      | \$4,671                         |               |
| 313             | CHEST PAIN                               | 1.68             | 0.00%              | 2.53%                       | \$3,795                         |               |
| 236             | CORONARY BYPASS WO CARDIAC CATH WO MCC   | 5.29             | 1.22%              | 12.35%                      | \$19,209                        |               |
| 660             | KID&URETER PROC FOR NON-NEOPLASM W CC    | 2.40             | 0.00%              | 14.81%                      | \$6,357                         |               |

|     |  |       |         |        |          |
|-----|--|-------|---------|--------|----------|
| 552 | MEDICAL BACK PROBLEMS WO MCC             | 2.16  | 1.25%   | 5.26%  | \$3,566  |
| 640 | MISC DISORD NUTR FLUIDS&ELELYT W MCC     | 3.68  | 3.85%   | 18.92% | \$6,127  |
| 208 | RESP SYS DX W VENT SUPPORT <=96 HOURS    | 4.39  | 50.00%  | 11.43% | \$12,636 |
| 281 | ACUTE MYCARD INFR, DISCH ALIVE W CC      | 2.33  | 0.00%   | 14.29% | \$5,181  |
| 330 | MAJOR SMALL AND LARGE BOWEL PROC W CC    | 4.51  | 0.00%   | 10.67% | \$13,192 |
| 389 | G.I. OBSTRUCTION W CC                    | 3.08  | 0.00%   | 21.92% | \$3,800  |
| 522 | HIP REPLACEMENT W PDX OF HIP FX WO MCC   | 4.02  | 0.00%   | 4.05%  | \$11,797 |
| 308 | CARD ARRHYTHMIA&CONDUCTION DISORD W MCC  | 3.18  | 4.41%   | 12.90% | \$5,662  |
| 439 | DISORD OF PANCREAS EXCEPT MALIG W CC     | 2.96  | 0.00%   | 17.19% | \$3,992  |
| 917 | POISONING&TOXIC EFFECTS OF DRUGS W MCC   | 2.74  | 1.54%   | 8.11%  | \$5,743  |
| 661 | KID&URETER PROC FOR NON-NEOPLM WO CC/MCC | 1.74  | 0.00%   | 8.96%  | \$5,821  |
| 101 | SEIZURES WO MCC                          | 1.68  | 0.00%   | 6.67%  | \$3,761  |
| 246 | PERC CV PROC W DRG-ELUT STENT W MCC OR4+ | 3.62  | 3.23%   | 13.33% | \$17,911 |
| 310 | CARD ARRHYTHMIA&CONDCT DISORD WO CC/MCC  | 1.61  | 0.00%   | 8.20%  | \$3,088  |
| 331 | MAJOR SMALL&LARGE BOWEL PROC WO CC/MCC   | 2.65  | 0.00%   | 4.84%  | \$10,007 |
| 207 | RESP SYS DX W VENT SUPPORT >96 HOURS     | 14.76 | 58.06%  | 20.00% | \$42,583 |
| 432 | CIRRHOSIS AND ALCOHOLIC HEPATITIS W MCC  | 4.87  | 9.68%   | 26.42% | \$9,193  |
| 699 | OTHER KIDNEY&URINARY TRACT DX W CC       | 3.28  | 0.00%   | 28.81% | \$4,944  |
| 787 | CESAREAN SECTION WO STERILIZATION W CC   | 2.28  | 0.00%   | 0.00%  | \$8,257  |
| 394 | OTHER DIGESTIVE SYS DIAGNOSES W CC       | 2.07  | 0.00%   | 8.77%  | \$3,929  |
| 637 | DIABETES W MCC                           | 4.58  | 1.67%   | 25.00% | \$7,553  |
| 175 | PULM EMBLSM W MCC OR ACUTE COR PULMONALE | 3.82  | 0.00%   | 7.14%  | \$6,832  |
| 785 | CESAREAN SECTION W STERZN WO CC/MCC      | 1.54  | 0.00%   | 0.00%  | \$7,613  |
| 4   | TRCHOS W MV >96 HOURS OR PDX EXCEPT FACE | 26.42 | 19.23%  | 11.90% | \$73,203 |
| 563 | FX STRN&DISLOC EXCP FEMR HIP PELV WO MCC | 2.61  | 0.00%   | 7.55%  | \$4,795  |
| 286 | CIRCULATORY DISORD EXCEPT AMI            | 6.26  | 1.89%   | 13.73% | \$11,294 |
| 948 | SIGNS AND SYMPTOMS WO MCC                | 2.18  | 0.00%   | 12.50% | \$3,797  |
| 793 | FULL TERM NEONATE W MAJOR PROBLEMS       | 2.09  | 0.00%   | 0.00%  | \$421    |
| 812 | RED BLOOD CELL DISORD WO MCC             | 2.13  | 0.00%   | 4.17%  | \$4,542  |
| 897 | ALC,DRUG ABUSE/DEP WO REHAB THAPY WO MCC | 3.45  | 0.00%   | 11.76% | \$4,933  |
| 951 | OTHER FACTORS INFLUENCING HEALTH STATUS  | 1.64  | 82.00%  | 0.00%  | \$1,070  |
| 391 | ESOPHTS,GASTREN&MISC DGSTV DISORD W MCC  | 3.67  | 0.00%   | 15.22% | \$5,887  |
| 176 | PULMONARY EMBOLISM WO MCC                | 2.17  | 0.00%   | 8.70%  | \$3,929  |
| 433 | CIRRHOSIS AND ALCOHOLIC HEPATITIS W CC   | 2.44  | 0.00%   | 28.57% | \$3,978  |
| 69  | TRANSIENT ISCHEMIA WO THROMBOLYTIC       | 1.70  | 0.00%   | 8.89%  | \$4,007  |
| 66  | INTRCRN HEMRG OR CEREB INFR WO CC/MCC    | 2.05  | 2.27%   | 4.76%  | \$3,636  |
| 71  | NONSPECIFIC CEREBROVASC DISORD W CC      | 2.72  | 0.00%   | 7.32%  | \$4,616  |
| 312 | SYNCOPE AND COLLAPSE                     | 1.77  | 0.00%   | 6.82%  | \$3,620  |
| 470 | MAJ HIP/KN REPL/REATCH LO EXTRM WO MCC   | 1.59  | 0.00%   | 4.55%  | \$10,814 |
| 789 | NEONATES, DIED/XFER ANOTH AC CR FACILITY | 1.14  | 100.00% |        | \$104    |

|     |  |      |        |         |          |
|-----|--|------|--------|---------|----------|
| 25  | CRANIOTOMY/ENDOVASC INTRCRN PROC W MCC   | 8.30 | 11.63% | 25.00%  | \$25,619 |
| 419 | LAPAROSCOPIC CHOLE WO C.D.E. WO CC/MCC   | 1.86 | 0.00%  | 4.65%   | \$8,624  |
| 305 | HYPERTENSION WO MCC                      | 2.06 | 0.00%  | 7.32%   | \$4,024  |
| 329 | MAJOR SMALL AND LARGE BOWEL PROC W MCC   | 9.47 | 14.63% | 14.29%  | \$21,935 |
| 493 | LOWER EXTRM AND HUMERUS PROC EXCEPT HIP  | 3.51 | 0.00%  | 8.11%   | \$12,510 |
| 314 | OTHER CIRCULATORY SYS DIAGNOSES W MCC    | 6.35 | 0.00%  | 21.62%  | \$11,419 |
| 441 | DISORD LIVER EXCP MALIG,CIRR,HEP W MCC   | 4.05 | 10.00% | 27.78%  | \$6,426  |
| 234 | CORONARY BYPASS W CARDIAC CATH WO MCC    | 8.50 | 0.00%  | 2.56%   | \$26,505 |
| 918 | POISONING&TOXIC EFFECTS OF DRUGS WO MCC  | 1.92 | 0.00%  | 0.00%   | \$3,072  |
| 418 | LAPAROSCOPIC CHOLE WO C.D.E. W CC        | 3.35 | 0.00%  | 7.89%   | \$10,228 |
| 494 | LOWER EXTRM AND HUMERUS PROC EXCEPT HIP  | 2.35 | 0.00%  | 2.86%   | \$9,609  |
| 639 | DIABETES WO CC/MCC                       | 2.20 | 0.00%  | 2.94%   | \$3,786  |
| 792 | PREMATURITY WO MAJOR PROBLEMS            | 2.70 | 0.00%  | 0.00%   | \$507    |
| 981 | XTENS O.R. PROC UNRELATED TO PDX W MCC   | 9.97 | 8.57%  | 12.90%  | \$22,336 |
| 178 | RESPIRATORY INFCT&INFLAMMATIONS W CC     | 2.53 | 2.70%  | 9.09%   | \$4,196  |
| 292 | HRT FAILURE AND SHOCK W CC               | 2.20 | 5.41%  | 22.58%  | \$3,661  |
| 480 | HIP&FEMUR PROC EXCP MAJOR JOINT W MCC    | 5.97 | 2.70%  | 17.14%  | \$14,474 |
| 92  | OTHER DISORD OF NERVOUS SYS W CC         | 2.37 | 2.86%  | 9.09%   | \$4,588  |
| 303 | ATHEROSCLEROSIS WO MCC                   | 1.66 | 0.00%  | 5.71%   | \$3,262  |
| 438 | DISORD OF PANCREAS EXCEPT MALIG W MCC    | 4.63 | 6.06%  | 16.13%  | \$7,435  |
| 880 | AC ADJUSTMENT REACTION&PSYCHOSOCIAL DYSF | 2.98 | 0.00%  |         | \$5,465  |
| 57  | DEGENERATIVE NERVOUS SYS DISORD WO MCC   | 4.65 | 5.88%  | 9.38%   | \$7,144  |
| 220 | CARD VALVE&MAJ PROC WO CARD CATH W CC    | 6.09 | 5.88%  | 12.90%  | \$28,932 |
| 235 | CORONARY BYPASS WO CARDIAC CATH W MCC    | 8.61 | 0.00%  | 21.21%  | \$27,040 |
| 445 | DISORD OF THE BILIARY TRACT W CC         | 2.58 | 3.13%  | 7.14%   | \$4,919  |
| 811 | RED BLOOD CELL DISORD W MCC              | 4.26 | 0.00%  | 15.63%  | \$7,370  |
| 70  | NONSPECIFIC CEREBROVASC DISORD W MCC     | 5.19 | 3.13%  | 13.33%  | \$8,352  |
| 100 | SEIZURES W MCC                           | 3.75 | 6.06%  | 10.71%  | \$9,693  |
| 300 | PERIPHERAL VASC DISORD W CC              | 3.07 | 0.00%  | 17.24%  | \$5,337  |
| 442 | DISORD LIVER EXCP MALIG,CIRR,HEP W CC    | 3.41 | 0.00%  | 24.14%  | \$4,693  |
| 86  | TRAUMATIC STUPOR&COMA, <1 HR W CC        | 3.28 | 0.00%  | 10.00%  | \$6,326  |
| 282 | ACUTE MYCARD INFRC DISCH ALIVE WO CC/MCC | 1.84 | 0.00%  | 6.67%   | \$5,600  |
| 833 | OTH ANTEPARTUM DX WO O.R. PROC WO CC/MCC | 1.27 | 0.00%  | 100.00% | \$1,987  |
| 191 | CHRONIC OBSTRUCTIVE PULMONARY DZ W CC    | 2.24 | 0.00%  | 21.43%  | \$3,913  |
| 417 | LAPAROSCOPIC CHOLE WO C.D.E. W MCC       | 4.51 | 0.00%  | 10.00%  | \$12,990 |
| 440 | DISORD PANCREAS EXCEPT MALIG WO CC/MCC   | 2.39 | 0.00%  | 21.43%  | \$3,236  |
| 884 | ORGIC DISTURBANCES&INTELLECTUAL DISABIL  | 5.14 | 0.00%  | 11.11%  | \$6,665  |
| 460 | SPINAL FUSION EXCEPT CERVICAL WO MCC     | 3.20 | 0.00%  | 3.57%   | \$19,816 |
| 386 | INFLAMMATORY BOWEL DISEASE W CC          | 3.03 | 0.00%  | 15.38%  | \$5,047  |
| 388 | G.I. OBSTRUCTION W MCC                   | 4.71 | 7.41%  | 32.00%  | \$6,343  |

|     |  |       |         |        |          |
|-----|--|-------|---------|--------|----------|
| 768 | VAG DEL W O.R. PROC EXCP STERIL &/OR D&C | 2.03  | 0.00%   | 3.70%  | \$5,987  |
| 885 | PSYCHOSES                                | 4.37  | 0.00%   |        | \$5,141  |
| 54  | NERVOUS SYS NEOPLASMS W MCC              | 3.62  | 0.00%   | 0.00%  | \$6,699  |
| 164 | MAJOR CHEST PROC W CC                    | 3.95  | 0.00%   | 8.00%  | \$13,117 |
| 299 | PERIPHERAL VASC DISORD W MCC             | 3.39  | 4.17%   | 13.04% | \$6,213  |
| 343 | APPENDECTOMY WO COMP PRIN DX WO CC/MCC   | 1.10  | 0.00%   | 0.00%  | \$6,888  |
| 368 | MAJOR ESOPHAGEAL DISORD W MCC            | 2.89  | 3.85%   | 13.04% | \$6,192  |
| 659 | KID&URETER PROC FOR NON-NEOPLASM W MCC   | 5.59  | 0.00%   | 7.69%  | \$12,737 |
| 743 | UTER ADNXL PROC NON-MALIGNANCY WO CC/MCC | 1.54  | 0.00%   | 3.85%  | \$7,030  |
| 202 | BRONCHITIS AND ASTHMA W CC/MCC           | 2.30  | 0.00%   | 8.70%  | \$4,100  |
| 243 | PERMANENT CARDIAC PACEMAKER IMPLNT W CC  | 2.88  | 0.00%   | 8.00%  | \$13,019 |
| 390 | G.I. OBSTRUCTION WO CC/MCC               | 2.05  | 0.00%   | 8.00%  | \$3,119  |
| 536 | FRACTURES OF HIP AND PELVIS WO MCC       | 2.70  | 0.00%   | 0.00%  | \$4,430  |
| 233 | CORONARY BYPASS W CARDIAC CATH W MCC     | 14.39 | 9.09%   | 25.00% | \$40,745 |
| 602 | CELLULITIS W MCC                         | 5.87  | 0.00%   | 30.43% | \$8,559  |
| 83  | TRAUMATIC STUPOR&COMA, >1 HR W CC        | 3.31  | 0.00%   | 9.09%  | \$7,107  |
| 315 | OTHER CIRCULATORY SYS DIAGNOSES W CC     | 2.01  | 0.00%   | 27.27% | \$3,464  |
| 862 | POSTOP AND POSTTRM INFCT W MCC           | 5.12  | 4.55%   | 10.00% | \$8,119  |
| 180 | RESPIRATORY NEOPLASMS W MCC              | 3.90  | 9.09%   |        | \$6,262  |
| 184 | MAJOR CHEST TRAUMA W CC                  | 3.20  | 0.00%   | 19.05% | \$5,835  |
| 39  | EXTRACRANIAL PROC WO CC/MCC              | 1.03  | 0.00%   | 0.00%  | \$7,925  |
| 62  | ISCHEM STROKE W THROMLT AGENT W CC       | 2.50  | 0.00%   | 4.76%  | \$12,836 |
| 380 | COMPLICATED PEPTIC ULCER W MCC           | 4.90  | 0.00%   | 26.32% | \$10,386 |
| 543 | PATH FX & MS & CONN TISS MALIG W CC      | 2.89  | 4.76%   | 12.50% | \$4,570  |
| 776 | POSTPARTUM&POST ABORTION DX WO O.R. PROC | 1.72  | 0.00%   |        | \$2,963  |
| 242 | PERMANENT CARDIAC PACEMAKER IMPLNT W MCC | 4.85  | 0.00%   | 10.00% | \$18,158 |
| 283 | ACUTE MYCARD INFARCTION, EXPIRED W MCC   | 3.65  | 100.00% |        | \$10,865 |
| 393 | OTHER DIGESTIVE SYS DIAGNOSES W MCC      | 3.98  | 10.00%  | 11.11% | \$7,386  |
| 684 | RENAL FAILURE WO CC/MCC                  | 2.05  | 0.00%   | 11.76% | \$2,935  |
| 786 | CESAREAN SECTION WO STERILIZATION W MCC  | 1.86  | 0.00%   | 0.00%  | \$7,986  |
| 813 | COAGULATION DISORD                       | 2.44  | 0.00%   | 15.00% | \$4,879  |
| 832 | OTHER ANTEPARTUM DX WO O.R. PROC W CC    | 1.44  | 0.00%   |        | \$2,631  |
| 856 | POSTOP OR POSTTRM INFCT W O.R. PROC WMCC | 10.27 | 5.26%   | 33.33% | \$22,588 |
| 896 | ALC,DRUG ABUSE/DEP WO REHAB THAPY W MCC  | 8.20  | 0.00%   | 20.00% | \$11,608 |
| 982 | XTENS O.R. PROC UNRELATED TO PDX W CC    | 5.09  | 0.00%   | 11.76% | \$14,088 |
| 200 | PNEUMOTHORAX W CC                        | 3.28  | 5.26%   | 0.00%  | \$5,894  |
| 328 | STOMACH, ESOPH&DUODENAL PROC WO CC/MCC   | 1.64  | 0.00%   | 5.26%  | \$10,491 |
| 379 | G.I. HEMRG WO CC/MCC                     | 1.52  | 0.00%   | 11.11% | \$2,989  |
| 483 | MAJ JNT/LIMB REATTACHMENT PROC UP EXTRM  | 1.93  | 0.00%   | 0.00%  | \$14,127 |
| 521 | HIP REPLACEMENT W PDX OF HIP FX W MCC    | 5.50  | 15.79%  | 18.75% | \$14,291 |

|     |  |       |        |        |           |
|-----|--|-------|--------|--------|-----------|
| 72  | NONSPECIFIC CEREBROVASC DISORD WO CC/MCC | 1.74  | 0.00%  | 13.33% | \$3,567   |
| 186 | PLEURAL EFFUSION W MCC                   | 4.05  | 5.56%  | 6.25%  | \$6,218   |
| 327 | STOMACH, ESOPHAGEAL&DUODENAL PROC W CC   | 2.48  | 0.00%  | 5.56%  | \$10,301  |
| 354 | HERNIA PROC EXCP INGUINAL&FEMORAL W CC   | 3.36  | 0.00%  | 16.67% | \$11,346  |
| 372 | MAJOR GI DISORD&PERITONEAL INFCT W CC    | 3.39  | 0.00%  | 12.50% | \$4,267   |
| 520 | BACK&NECK PROC EXCP SP FUSION WO CC/MCC  | 2.93  | 0.00%  | 5.56%  | \$9,249   |
| 742 | UTER ADNXL PROC NON-MALIGNANCY W CC/MCC  | 2.94  | 0.00%  | 5.56%  | \$10,699  |
| 987 | NON-XTENS O.R. PROC UNREL TO PDX W MCC   | 7.75  | 0.00%  | 23.53% | \$14,696  |
| 74  | CRANIAL&PERIPHERAL NERVE DISORD WO MCC   | 2.58  | 0.00%  | 18.75% | \$4,642   |
| 167 | OTHER RESPIRATORY SYS O.R. PROC W CC     | 3.06  | 0.00%  | 0.00%  | \$10,019  |
| 558 | TENDONITIS, MYOSITIS AND BURSITIS WO MCC | 3.78  | 0.00%  | 6.25%  | \$4,611   |
| 605 | TRAUMA TO SKIN, SUBC TISS&BREAST WO MCC  | 2.75  | 0.00%  | 5.88%  | \$4,382   |
| 617 | AMPUTATION OF LOWER LIMB FOR ENDOCRINE   | 5.36  | 0.00%  | 11.76% | \$11,077  |
| 694 | URINARY STONES WO MCC                    | 1.55  | 0.00%  | 7.69%  | \$2,568   |
| 784 | CESAREAN SECTION W STERILIZATION W CC    | 1.50  | 0.00%  | 5.88%  | \$7,191   |
| 798 | VAGINAL DELIVERY W STERZN/D&C WO CC/MCC  | 1.43  | 0.00%  | 5.88%  | \$7,769   |
| 863 | POSTOP AND POSTTRM INFCT WO MCC          | 2.19  | 0.00%  | 11.76% | \$3,771   |
| 271 | OTHER MAJOR CARDIOVASC PROC W CC         | 3.12  | 0.00%  | 13.33% | \$18,610  |
| 381 | COMPLICATED PEPTIC ULCER W CC            | 2.72  | 0.00%  | 6.67%  | \$5,490   |
| 444 | DISORD OF THE BILIARY TRACT W MCC        | 4.90  | 7.14%  | 7.69%  | \$8,799   |
| 446 | DISORD OF THE BILIARY TRACT WO CC/MCC    | 2.08  | 0.00%  | 0.00%  | \$3,464   |
| 805 | VAGINAL DELIVERY WO STERZN/D&C W MCC     | 1.58  | 0.00%  | 0.00%  | \$4,441   |
| 920 | COMPLICATIONS OF TREATMENT W CC          | 2.33  | 0.00%  | 12.50% | \$4,630   |
| 103 | HEADACHES WO MCC                         | 1.62  | 0.00%  | 7.14%  | \$3,249   |
| 519 | BACK&NECK PROC EXCEPT SPINAL FUSION W CC | 3.94  | 0.00%  | 6.67%  | \$13,578  |
| 551 | MEDICAL BACK PROBLEMS W MCC              | 6.38  | 6.67%  | 14.29% | \$10,432  |
| 908 | OTHER O.R. PROC FOR INJURIES W CC        | 3.19  | 0.00%  | 7.14%  | \$9,125   |
| 82  | TRAUMATIC STUPOR&COMA, >1 HR W MCC       | 4.35  | 28.57% | 11.11% | \$9,939   |
| 93  | OTHER DISORD OF NERVOUS SYS WO CC/MCC    | 1.46  | 0.00%  | 0.00%  | \$2,991   |
| 166 | OTHER RESPIRATORY SYS O.R. PROC W MCC    | 6.16  | 7.14%  | 16.67% | \$14,591  |
| 195 | SIMPLE PNEUMONIA AND PLEURISY WO CC/MCC  | 1.89  | 0.00%  | 0.00%  | \$3,115   |
| 204 | RESPIRATORY SIGNS AND SYMPTOMS           | 1.22  | 0.00%  | 0.00%  | \$2,909   |
| 244 | PERMANENT CARD PACER IMPLNT WO CC/MCC    | 2.49  | 0.00%  | 0.00%  | \$12,580  |
| 304 | HYPERTENSION W MCC                       | 3.94  | 0.00%  | 0.00%  | \$6,695   |
| 435 | MALIG OF HEPBIL SYS OR PANCREAS W MCC    | 4.41  | 7.69%  |        | \$7,546   |
| 472 | CERVICAL SPINAL FUSION W CC              | 2.26  | 0.00%  | 0.00%  | \$15,150  |
| 560 | AFTERCARE, MS SYS AND CONN TISS W CC     | 2.73  | 0.00%  | 30.77% | \$5,030   |
| 3   | ECMO/TRCHOS W MV >96 HOURS/PDX EXCP FACE | 35.12 | 15.38% | 0.00%  | \$103,291 |
| 56  | DEGENERATIVE NERVOUS SYS DISORD W MCC    | 5.40  | 7.69%  | 8.33%  | \$7,950   |
| 87  | TRAUMATIC STUPOR&COMA, <1 HR WO CC/MCC   | 1.64  | 0.00%  | 0.00%  | \$3,527   |

|     |  |      |        |        |          |
|-----|--|------|--------|--------|----------|
| 91  | OTHER DISORD OF NERVOUS SYS W MCC        | 3.73 | 8.33%  | 18.18% | \$8,599  |
| 375 | DIGESTIVE MALIGNANCY W CC                | 2.56 | 0.00%  |        | \$4,667  |
| 385 | INFLAMMATORY BOWEL DISEASE W MCC         | 5.83 | 15.38% | 20.00% | \$9,923  |
| 482 | HIP&FEMUR PROC EXCP MAJ JOINT WO CC/MCC  | 3.42 | 0.00%  | 15.38% | \$9,614  |
| 556 | SIGNS & SYMP MS SYS & CONN TISS WO MCC   | 1.81 | 0.00%  | 0.00%  | \$3,476  |
| 673 | OTHER KIDNEY&URINARY TRACT PROC W MCC    | 9.15 | 7.69%  | 16.67% | \$16,622 |
| 790 | EXTREME IMMAT/RESP DISTRESS SYNDROME     | 1.73 | 0.00%  |        | \$189    |
| 857 | POSTOP OR POSTTRM INFCT W O.R. PROC W CC | 4.86 | 0.00%  | 15.38% | \$9,871  |
| 907 | OTHER O.R. PROC FOR INJURIES W MCC       | 5.04 | 0.00%  | 25.00% | \$16,751 |
| 988 | NON-XTENS O.R. PROC UNREL TO PDX W CC    | 3.88 | 7.69%  | 0.00%  | \$7,768  |
| 95  | BACTERIAL AND TB INFCT NERV SYS W CC     | 5.59 | 0.00%  | 9.09%  | \$9,776  |
| 123 | NEUROLOGICAL EYE DISORD                  | 1.75 | 0.00%  | 0.00%  | \$3,368  |
| 179 | RESPIRATORY INFCT&INFLM WO CC/MCC        | 1.73 | 0.00%  | 16.67% | \$2,600  |
| 181 | RESPIRATORY NEOPLASMS W CC               | 2.88 | 8.33%  |        | \$5,928  |
| 183 | MAJOR CHEST TRAUMA W MCC                 | 4.12 | 16.67% | 10.00% | \$7,331  |
| 293 | HRT FAILURE AND SHOCK WO CC/MCC          | 2.06 | 0.00%  | 0.00%  | \$3,781  |
| 369 | MAJOR ESOPHAGEAL DISORD W CC             | 2.30 | 0.00%  | 20.00% | \$5,799  |
| 395 | OTHER DIGESTIVE SYS DIAGNOSES WO CC/MCC  | 1.76 | 0.00%  | 8.33%  | \$3,159  |
| 455 | COMB ANT/POSTERIOR SPINAL FUSN WO CC/MCC | 2.26 | 0.00%  | 0.00%  | \$19,483 |
| 492 | LOWER EXTRM AND HUMERUS PROC EXCEPT HIP  | 4.77 | 0.00%  | 9.09%  | \$14,688 |
| 516 | OTHER MS SYS&CONN TISSUE O.R. PROC W CC  | 3.89 | 0.00%  | 8.33%  | \$12,236 |
| 540 | OSTEOMYELITIS W CC                       | 4.46 | 0.00%  | 9.09%  | \$6,470  |
| 657 | KID&URETER PROC FOR NEOPLASM W CC        | 3.25 | 0.00%  | 18.18% | \$10,929 |
| 23  | CRANIOTOMY W MAJ DEV IMPLNT W MCC        | 7.73 | 18.18% | 11.11% | \$27,771 |
| 84  | TRAUMATIC STUPOR&COMA, >1 HR WO CC/MCC   | 2.59 | 0.00%  | 0.00%  | \$5,390  |
| 85  | TRAUMATIC STUPOR&COMA, <1 HR W MCC       | 7.16 | 18.18% | 22.22% | \$12,945 |
| 371 | MAJOR GI DISORD&PERITONEAL INFCT W MCC   | 4.91 | 0.00%  | 20.00% | \$5,839  |
| 443 | DISORD LIVER EXCP MALIG,CIRR WO CC/MCC   | 3.32 | 0.00%  | 9.09%  | \$4,061  |
| 561 | AFTERCARE, MS SYS & CONN TISS WO CC/MCC  | 1.18 | 0.00%  | 25.00% | \$3,024  |
| 564 | OTHER MS SYS & CONN TISS DX W MCC        | 5.52 | 0.00%  | 10.00% | \$8,999  |
| 643 | ENDOCRINE DISORD W MCC                   | 5.58 | 9.09%  | 33.33% | \$8,255  |
| 760 | MENSTRUAL&OTH FEM REPROD DISORD W CC/MCC | 1.74 | 0.00%  | 30.00% | \$4,296  |
| 894 | ALC,DRUG ABUSE OR DEPENDENCE, LEFT AMA   | 1.88 | 0.00%  |        | \$3,190  |
| 919 | COMPLICATIONS OF TREATMENT W MCC         | 3.59 | 10.00% | 11.11% | \$6,669  |
| 956 | LMB REATCH,HP&FEMUR PROC MULT SIGFN TRAM | 5.54 | 11.11% | 25.00% | \$18,687 |
| 38  | EXTRACRANIAL PROC W CC                   | 1.47 | 0.00%  | 0.00%  | \$8,719  |
| 60  | MULT SCLEROSIS&CEREBEL ATAXIA WO CC/MCC  | 4.49 | 0.00%  | 0.00%  | \$5,814  |
| 61  | ISCHEM STROKE W THROMLT AGENT W MCC      | 4.43 | 11.11% | 0.00%  | \$17,784 |
| 153 | OTITIS MEDIA AND URI WO MCC              | 2.02 | 0.00%  | 0.00%  | \$3,759  |
| 165 | MAJOR CHEST PROC WO CC/MCC               | 1.91 | 0.00%  | 0.00%  | \$10,026 |

|     |  |       |        |         |          |
|-----|--|-------|--------|---------|----------|
| 185 | MAJOR CHEST TRAUMA WO CC/MCC             | 1.47  | 0.00%  | 0.00%   | \$3,845  |
| 205 | OTHER RESPIRATORY SYS DIAGNOSES W MCC    | 4.46  | 10.00% | 22.22%  | \$8,546  |
| 206 | OTHER RESPIRATORY SYS DIAGNOSES WO MCC   | 2.36  | 0.00%  | 10.00%  | \$3,901  |
| 326 | STOMACH, ESOPHAGEAL&DUODENAL PROC W MCC  | 6.24  | 0.00%  | 30.00%  | \$14,702 |
| 374 | DIGESTIVE MALIGNANCY W MCC               | 4.50  | 22.22% | 100.00% | \$7,159  |
| 565 | OTHER MS SYS & CONN TISS DX W CC         | 3.53  | 0.00%  | 0.00%   | \$5,678  |
| 580 | OTHER SKIN, SUBC TISSUE&BREAST PROC W CC | 3.71  | 0.00%  | 10.00%  | \$7,091  |
| 669 | TRANSURETHRAL PROC W CC                  | 3.52  | 0.00%  | 10.00%  | \$8,146  |
| 149 | DYSEQUILIBRIUM                           | 2.00  | 0.00%  | 0.00%   | \$4,392  |
| 187 | PLEURAL EFFUSION W CC                    | 3.06  | 11.11% | 25.00%  | \$5,051  |
| 199 | PNEUMOTHORAX W MCC                       | 5.83  | 11.11% | 0.00%   | \$8,406  |
| 239 | AMP CIRC DISORD EXCP UP LIMB&TOE W MCC   | 10.97 | 0.00%  | 33.33%  | \$23,487 |
| 253 | OTHER VASC PROC W CC                     | 2.67  | 0.00%  | 11.11%  | \$14,066 |
| 264 | OTHER CIRCULATORY SYS O.R. PROC          | 6.01  | 11.11% | 25.00%  | \$17,404 |
| 336 | PERITONEAL ADHESIOLYSIS W CC             | 6.73  | 11.11% | 25.00%  | \$16,709 |
| 339 | APPENDECTOMY W COMP PRINCIPAL DX W CC    | 3.23  | 0.00%  | 0.00%   | \$9,201  |
| 387 | INFLAMMATORY BOWEL DISEASE WO CC/MCC     | 2.62  | 0.00%  | 0.00%   | \$3,464  |
| 454 | COMB ANT/POSTERIOR SPINAL FUSION W CC    | 2.21  | 0.00%  | 0.00%   | \$25,732 |
| 467 | REVIS OF HIP OR KNEE REPLACEMENT W CC    | 3.23  | 0.00%  | 0.00%   | \$14,209 |
| 517 | OTH MS SYS&CONN TISS O.R. PROC WO CC/MCC | 1.22  | 0.00%  | 11.11%  | \$8,150  |
| 562 | FX STRN&DISLOC EXCP FEMR HIP PELV W MCC  | 6.13  | 0.00%  | 22.22%  | \$8,809  |
| 593 | SKIN ULCERS W CC                         | 4.38  | 0.00%  | 12.50%  | \$5,303  |
| 623 | SKIN GRFT&WND DEBRID ENDOCR DISORD W CC  | 5.01  | 0.00%  | 22.22%  | \$10,072 |
| 644 | ENDOCRINE DISORD W CC                    | 4.69  | 0.00%  | 11.11%  | \$5,982  |
| 791 | PREMATURITY W MAJOR PROBLEMS             | 2.36  | 0.00%  |         | \$352    |
| 831 | OTHER ANTEPARTUM DX WO O.R. PROC W MCC   | 1.36  | 0.00%  | 100.00% | \$1,933  |
| 909 | OTHER O.R. PROC FOR INJURIES WO CC/MCC   | 2.79  | 0.00%  | 0.00%   | \$7,670  |
| 59  | MULT SCLEROSIS&CEREBELLAR ATAXIA W CC    | 3.71  | 0.00%  | 14.29%  | \$6,277  |
| 98  | NON-BACT INFCT EXCP VIR MENGTS W CC      | 6.85  | 0.00%  | 12.50%  | \$18,235 |
| 163 | MAJOR CHEST PROC W MCC                   | 10.89 | 37.50% | 20.00%  | \$28,649 |
| 219 | CARD VALVE&MAJ PROC WO CARD CATH W MCC   | 8.83  | 37.50% | 20.00%  | \$40,751 |
| 269 | AORT HRT ASST PROC EXCP PULS BLLN WO MCC | 1.00  | 0.00%  | 12.50%  | \$20,285 |
| 301 | PERIPHERAL VASC DISORD WO CC/MCC         | 1.49  | 0.00%  | 14.29%  | \$3,673  |
| 342 | APPENDECTOMY WO COMP PRINCIPAL DX W CC   | 1.93  | 0.00%  | 0.00%   | \$8,113  |
| 355 | HERNIA PROC EXCP INGUINAL&FEMR WO CC/MCC | 1.53  | 0.00%  | 25.00%  | \$8,276  |
| 436 | MALIG OF HEPBIL SYS OR PANCREAS W CC     | 4.36  | 12.50% |         | \$6,124  |
| 453 | COMB ANT/POSTERIOR SPINAL FUSION W MCC   | 4.77  | 25.00% | 0.00%   | \$28,373 |
| 511 | SHOULDER EXCEPT MAJOR JOINT PROC W CC    | 3.69  | 0.00%  | 0.00%   | \$13,277 |
| 559 | AFTERCARE, MS SYS AND CONN TISS W MCC    | 4.78  | 0.00%  | 28.57%  | \$8,190  |
| 779 | ABORTION WO D&C                          | 1.59  | 0.00%  | 20.00%  | \$3,634  |

|     |  |       |        |        |          |
|-----|--|-------|--------|--------|----------|
| 808 | MAJ HEMAT/IMMLOG EXCP SICK-CL W MCC      | 4.88  | 0.00%  | 0.00%  | \$8,931  |
| 809 | MAJ HEMAT/IMMLOG EXCP SICK-CL W CC       | 3.24  | 0.00%  | 12.50% | \$5,626  |
| 815 | RETICULOENDOTHELIAL&IMMUN DISORD W CC    | 2.28  | 0.00%  | 14.29% | \$4,709  |
| 28  | SPINAL PROC W MCC                        | 14.08 | 0.00%  | 0.00%  | \$40,184 |
| 55  | NERVOUS SYS NEOPLASMS WO MCC             | 3.19  | 0.00%  | 0.00%  | \$5,867  |
| 63  | ISCHEM STROKE W THROMLT AGENT WO CC/MCC  | 2.12  | 0.00%  | 0.00%  | \$11,752 |
| 73  | CRANIAL&PERIPHERAL NERVE DISORD W MCC    | 4.76  | 14.29% | 0.00%  | \$6,707  |
| 158 | DENTAL AND ORAL DISEASES W CC            | 2.39  | 0.00%  | 0.00%  | \$4,680  |
| 192 | CHRONIC OBSTRUCTIVE PULM DZ WO CC/MCC    | 1.10  | 0.00%  | 0.00%  | \$2,607  |
| 240 | AMP CIRC DISORD EXCP UP LIMB&TOE W CC    | 8.28  | 0.00%  | 28.57% | \$15,244 |
| 252 | OTHER VASC PROC W MCC                    | 6.41  | 28.57% | 0.00%  | \$20,987 |
| 256 | UPPER LIMB&TOE AMP CIRC SYS DISORD W CC  | 5.35  | 0.00%  | 50.00% | \$9,333  |
| 296 | CARDIAC ARREST, UNEXPLAINED W MCC        | 2.51  | 71.43% | 0.00%  | \$7,295  |
| 358 | OTHER DIGESTIVE SYS O.R. PROC WO CC/MCC  | 1.43  | 0.00%  | 0.00%  | \$8,893  |
| 469 | MAJ HIP/KN JT REPL W MCC/ TOT ANKL REPL  | 3.87  | 0.00%  | 14.29% | \$15,920 |
| 542 | PATH FX & MS & CONN TISS MALIG W MCC     | 6.78  | 14.29% | 50.00% | \$10,641 |
| 554 | BONE DISEASES AND ARTHROPATHIES WO MCC   | 3.71  | 0.00%  | 28.57% | \$5,493  |
| 581 | OTHER SKIN,SUBC TISS&BRST PROC WO CC/MCC | 1.46  | 0.00%  | 0.00%  | \$8,837  |
| 627 | THYROID,PARATHYR&THYROGLOSSAL WO CC/MCC  | 1.35  | 0.00%  | 0.00%  | \$7,435  |
| 629 | OTHER ENDOCR, NUTR&METAB O.R. PROC W CC  | 6.31  | 0.00%  | 0.00%  | \$10,923 |
| 656 | KID&URETER PROC FOR NEOPLASM W MCC       | 9.51  | 0.00%  | 0.00%  | \$18,769 |
| 674 | OTHER KIDNEY&URINARY TRACT PROC W CC     | 10.21 | 0.00%  | 0.00%  | \$17,690 |
| 728 | INFLAMMATION MALE REPROD SYS WO MCC      | 3.39  | 0.00%  | 14.29% | \$4,681  |
| 783 | CESAREAN SECTION W STERILIZATION W MCC   | 1.84  | 0.00%  | 14.29% | \$8,744  |
| 68  | NONSPEC CVA&PRECEREB OCCLS WOINFR W MCC  | 2.38  | 0.00%  | 33.33% | \$5,242  |
| 159 | DENTAL AND ORAL DISEASES WO CC/MCC       | 3.36  | 0.00%  | 0.00%  | \$4,579  |
| 203 | BRONCHITIS AND ASTHMA WO CC/MCC          | 1.85  | 0.00%  | 0.00%  | \$3,463  |
| 270 | OTHER MAJOR CARDIOVASC PROC W MCC        | 3.38  | 60.00% | 0.00%  | \$13,267 |
| 335 | PERITONEAL ADHESIOLYSIS W MCC            | 10.78 | 0.00%  | 16.67% | \$18,127 |
| 340 | APPENDECTOMY W COMP PRIN DX WO CC/MCC    | 2.00  | 0.00%  | 16.67% | \$8,308  |
| 351 | INGUINAL AND FEMORAL HERNIA PROC W CC    | 5.72  | 0.00%  | 0.00%  | \$12,433 |
| 415 | CHOLE EXCP BY LAPAROSCOPE WO C.D.E. W CC | 3.85  | 0.00%  | 16.67% | \$11,118 |
| 416 | CHOLE EXCP LSCOPE WO C.D.E. WO CC/MCC    | 2.42  | 0.00%  | 0.00%  | \$9,533  |
| 459 | SPINAL FUSION EXCEPT CERVICAL W MCC      | 8.69  | 0.00%  | 16.67% | \$38,880 |
| 471 | CERVICAL SPINAL FUSION W MCC             | 6.40  | 0.00%  | 16.67% | \$21,172 |
| 474 | AMPUTATION MS SYS&CONN TISS DISORD W MCC | 9.35  | 0.00%  | 33.33% | \$19,047 |
| 535 | FRACTURES OF HIP AND PELVIS W MCC        | 5.88  | 0.00%  | 0.00%  | \$7,406  |
| 539 | OSTEOMYELITIS W MCC                      | 6.70  | 0.00%  | 20.00% | \$11,213 |
| 555 | SIGNS & SYMP MS SYS & CONN TISS W MCC    | 3.63  | 16.67% | 50.00% | \$6,985  |
| 557 | TENDONITIS, MYOSITIS AND BURSITIS W MCC  | 4.30  | 16.67% | 20.00% | \$7,073  |



|     |  |      |        |        |          |
|-----|--|------|--------|--------|----------|
| 566 | OTHER MS SYS & CONN TISS DX WO CC/MCC    | 1.26 | 0.00%  | 0.00%  | \$3,266  |
| 571 | SKIN DEBRIDEMENT W CC                    | 4.70 | 0.00%  | 33.33% | \$8,078  |
| 626 | THYROID,PARATHYR&THYROGLOSSAL PROC W CC  | 1.00 | 0.00%  | 0.00%  | \$10,685 |
| 654 | MAJOR BLADDER PROC W CC                  | 5.08 | 0.00%  | 16.67% | \$15,791 |
| 824 | LYMPHOMA&NON-AC LEUKEMIA W OTH PROC W CC | 4.85 | 0.00%  | 0.00%  | \$10,444 |
| 864 | FEVER AND INFLAMMATORY CONDITIONS        | 2.45 | 20.00% | 33.33% | \$5,892  |
| 914 | TRAUMATIC INJURY WO MCC                  | 1.62 | 0.00%  | 0.00%  | \$3,818  |
| 916 | ALLERGIC REACTIONS WO MCC                | 1.20 | 0.00%  | 0.00%  | \$2,238  |
| 947 | SIGNS AND SYMPTOMS W MCC                 | 6.18 | 16.67% | 0.00%  | \$10,005 |
| 89  | CONCUSSION W CC                          | 3.20 | 0.00%  | 0.00%  | \$7,055  |
| 94  | BACTERIAL AND TB INFCT NERV SYS W MCC    | 7.43 | 0.00%  | 0.00%  | \$12,170 |
| 96  | BACTERIAL & TB INFCT NERV SYS WO CC/MCC  | 5.30 | 0.00%  | 0.00%  | \$8,138  |
| 201 | PNEUMOTHORAX WO CC/MCC                   | 1.52 | 0.00%  | 0.00%  | \$2,609  |
| 228 | OTHER CARDIOTHORACIC PROC W MCC          | 3.39 | 0.00%  | 20.00% | \$18,431 |
| 229 | OTHER CARDIOTHORACIC PROC WO MCC         | 4.19 | 0.00%  | 20.00% | \$21,340 |
| 251 | PERC CV PROC WO CORONARY ART STENT WOMCC | 4.13 | 0.00%  | 20.00% | \$15,443 |
| 302 | ATHEROSCLEROSIS W MCC                    | 2.17 | 0.00%  | 20.00% | \$6,488  |
| 311 | ANGINA PECTORIS                          | 1.32 | 0.00%  | 0.00%  | \$2,892  |
| 350 | INGUINAL AND FEMORAL HERNIA PROC W MCC   | 5.53 | 20.00% | 0.00%  | \$16,316 |
| 352 | INGUINAL&FEMORAL HERNIA PROC WO CC/MCC   | 1.32 | 0.00%  | 0.00%  | \$8,498  |
| 463 | WND DEBRID/SKIN GRAFT EXCP HND W MCC     | 6.22 | 40.00% | 33.33% | \$26,440 |
| 478 | BIOPSIES MS SYS&CONNECTIVE TISSUE W CC   | 4.44 | 0.00%  | 25.00% | \$9,650  |
| 486 | KNEE PROC W PDX OF INFCT W CC            | 5.26 | 0.00%  | 0.00%  | \$12,548 |
| 500 | SOFT TISSUE PROC W MCC                   | 9.29 | 0.00%  | 20.00% | \$14,898 |
| 501 | SOFT TISSUE PROC W CC                    | 2.55 | 0.00%  | 0.00%  | \$10,980 |
| 504 | FOOT PROC W CC                           | 3.90 | 0.00%  | 40.00% | \$9,591  |
| 518 | BK&NCK PROC EXCP SP FUS W MCC,DEV,NSTIM  | 6.33 | 0.00%  | 20.00% | \$16,391 |
| 544 | PATH FX & MS &CONN TISS MALIG WO CC/MCC  | 1.97 | 0.00%  | 0.00%  | \$3,304  |
| 604 | TRAUMA TO SKIN, SUBC TISS&BREAST W MCC   | 3.31 | 0.00%  | 0.00%  | \$7,423  |
| 615 | ADRENAL AND PITUITARY PROC WO CC/MCC     | 1.15 | 0.00%  | 0.00%  | \$8,186  |
| 616 | AMPUTATION OF LOWER LIMB FOR ENDOCRINE   | 8.04 | 0.00%  | 40.00% | \$13,583 |
| 642 | INBORN AND OTHER DISORD OF METABOLISM    | 2.56 | 0.00%  | 20.00% | \$4,323  |
| 668 | TRANSURETHRAL PROC W MCC                 | 5.50 | 0.00%  | 0.00%  | \$12,210 |
| 687 | KIDNEY&URINARY TRACT NEOPLASMS W CC      | 3.39 | 0.00%  |        | \$4,826  |
| 858 | POSTOP OR POSTTRM INFCT PROC WO CC/MCC   | 2.70 | 0.00%  | 0.00%  | \$8,097  |
| 964 | OTHER MULTIPLE SIGNIFICANT TRAUMA W CC   | 3.25 | 0.00%  | 0.00%  | \$6,450  |
| 983 | XTENS O.R. PROC UNREL TO PDX WO CC/MCC   | 1.43 | 0.00%  | 0.00%  | \$7,842  |
| 29  | SPINAL PROC W CC OR SPINAL NSTIM         | 6.78 | 0.00%  | 0.00%  | \$20,297 |
| 37  | EXTRACRANIAL PROC W MCC                  | 5.53 | 0.00%  | 0.00%  | \$17,645 |
| 99  | NON-BACT INFCT EXCP VIR MENGTS WO CC/MCC | 4.82 | 0.00%  | 25.00% | \$8,470  |

|     |  |       |        |        |          |
|-----|--|-------|--------|--------|----------|
| 151 | EPISTAXIS WO MCC                         | 1.73  | 25.00% | 0.00%  | \$2,648  |
| 155 | OTHER EAR MOUTH&THROAT DIAGNOSES W CC    | 1.41  | 0.00%  | 0.00%  | \$3,386  |
| 216 | CARD VALVE&MAJ CARDTHOR PROC W CATH WMCC | 7.81  | 25.00% | 0.00%  | \$43,814 |
| 254 | OTHER VASC PROC WO CC/MCC                | 1.19  | 0.00%  | 0.00%  | \$6,874  |
| 260 | CARDIAC PACER REVIS EXCP DEV REPL W MCC  | 6.16  | 75.00% | 0.00%  | \$20,438 |
| 316 | OTH CIRCULATORY SYS DIAGNOSES WO CC/MCC  | 1.19  | 0.00%  | 0.00%  | \$1,823  |
| 337 | PERITONEAL ADHESIOLYSIS WO CC/MCC        | 3.74  | 0.00%  | 0.00%  | \$9,993  |
| 348 | ANAL AND STOMAL PROC W CC                | 5.38  | 0.00%  | 0.00%  | \$8,388  |
| 356 | OTHER DIGESTIVE SYS O.R. PROC W MCC      | 4.74  | 0.00%  | 0.00%  | \$10,073 |
| 382 | COMPLICATED PEPTIC ULCER WO CC/MCC       | 1.41  | 0.00%  | 0.00%  | \$3,169  |
| 457 | SP FUSN EXCP CERV CURVATURE W CC         | 6.90  | 0.00%  | 0.00%  | \$33,785 |
| 464 | WND DEBRID/SKIN GRAFT EXCP HND W CC      | 3.42  | 0.00%  | 0.00%  | \$11,688 |
| 477 | BIOPSIES MS SYS&CONNECTIVE TISSUE W MCC  | 7.45  | 0.00%  | 0.00%  | \$13,783 |
| 502 | SOFT TISSUE PROC WO CC/MCC               | 3.31  | 0.00%  | 0.00%  | \$6,747  |
| 534 | FRACTURES OF FEMUR WO MCC                | 1.68  | 0.00%  | 0.00%  | \$3,199  |
| 686 | KIDNEY&URINARY TRACT NEOPLASMS W MCC     | 5.24  | 0.00%  |        | \$7,531  |
| 729 | OTHER MALE REPROD SYS DIAGNOSES W CC/MCC | 2.11  | 0.00%  | 25.00% | \$3,938  |
| 803 | OTH O.R. PROC BLD&BLD FORM ORGANS W CC   | 1.57  | 0.00%  | 25.00% | \$6,051  |
| 921 | COMPLICATIONS OF TREATMENT WO CC/MCC     | 1.73  | 0.00%  | 0.00%  | \$2,156  |
| 922 | OTH INJ,POISONING&TOXIC EFFECT DX W MCC  | 3.04  | 25.00% | 0.00%  | \$4,373  |
| 923 | OTH INJ,POISONING&TOXIC EFFECT DX WO MCC | 1.97  | 0.00%  | 0.00%  | \$4,168  |
| 957 | OTHER O.R. PROC MULT SIGFN TRAM W MCC    | 9.38  | 25.00% | 0.00%  | \$37,627 |
| 958 | OTHER O.R. PROC FOR MULT SIGFN TRAM W CC | 6.16  | 0.00%  | 0.00%  | \$22,474 |
| 963 | OTHER MULTIPLE SIGNIFICANT TRAUMA W MCC  | 8.57  | 25.00% | 0.00%  | \$16,262 |
| 26  | CRANIOTOMY/ENDOVASC INTRCRN PROC W CC    | 6.07  | 0.00%  | 50.00% | \$21,674 |
| 58  | MULT SCLEROSIS&CEREBELLAR ATAXIA W MCC   | 3.68  | 0.00%  | 0.00%  | \$6,308  |
| 97  | NON-BACT INFCT EXCP VIR MENGTS W MCC     | 6.54  | 0.00%  | 66.67% | \$17,625 |
| 125 | OTHER DISORD OF THE EYE WO MCC           | 2.52  | 0.00%  | 0.00%  | \$4,259  |
| 157 | DENTAL AND ORAL DISEASES W MCC           | 2.15  | 0.00%  | 0.00%  | \$5,826  |
| 221 | CARD VALVE&MAJ PROC WO CATH WO CC/MCC    | 2.47  | 33.33% | 0.00%  | \$28,288 |
| 241 | AMP CIRC DISORD EXCP UPLIMB&TOE WOCC/MCC | 10.72 | 0.00%  | 0.00%  | \$14,774 |
| 306 | CARD CONGENITAL&VALVULAR DISORD W MCC    | 4.63  | 0.00%  | 33.33% | \$6,732  |
| 344 | MINOR SMALL AND LARGE BOWEL PROC W MCC   | 9.08  | 0.00%  | 33.33% | \$15,798 |
| 345 | MINOR SMALL AND LARGE BOWEL PROC W CC    | 3.98  | 0.00%  | 0.00%  | \$9,775  |
| 353 | HERNIA PROC EXCP INGUINAL&FEMORAL W MCC  | 6.54  | 0.00%  | 0.00%  | \$14,586 |
| 357 | OTHER DIGESTIVE SYS O.R. PROC W CC       | 11.27 | 0.00%  | 66.67% | \$18,937 |
| 373 | MAJ GI DISORD&PERITONEAL INFCT WO CC/MCC | 2.62  | 0.00%  | 0.00%  | \$4,019  |
| 462 | BILAT/MULT MAJ JNT PROC LO EXTRM WO MCC  | 1.26  | 0.00%  | 0.00%  | \$12,981 |
| 465 | WND DEBRID/SKIN GRAFT EXCP HND WO CC/MCC | 1.82  | 0.00%  | 0.00%  | \$8,716  |
| 468 | REVIS OF HIP/KNEE REPLACEMENT WO CC/MCC  | 2.52  | 0.00%  | 0.00%  | \$14,121 |

|     |  |      |        |        |          |
|-----|--|------|--------|--------|----------|
| 473 | CERVICAL SPINAL FUSION WO CC/MCC         | 3.30 | 0.00%  | 0.00%  | \$17,178 |
| 479 | BIOPSIES MS SYS&CONN TISSUE WO CC/MCC    | 1.82 | 0.00%  | 0.00%  | \$7,361  |
| 505 | FOOT PROC WO CC/MCC                      | 2.29 | 0.00%  | 0.00%  | \$11,167 |
| 512 | SHLDR EXCEPT MAJOR JOINT PROC WO CC/MCC  | 1.26 | 0.00%  | 0.00%  | \$9,186  |
| 515 | OTHER MS SYS&CONN TISSUE O.R. PROC W MCC | 4.38 | 0.00%  | 0.00%  | \$8,879  |
| 549 | SEPTIC ARTHRITIS W CC                    | 3.78 | 0.00%  | 33.33% | \$6,667  |
| 550 | SEPTIC ARTHRITIS WO CC/MCC               | 3.91 | 0.00%  | 33.33% | \$4,648  |
| 570 | SKIN DEBRIDEMENT W MCC                   | 5.74 | 0.00%  | 33.33% | \$10,226 |
| 579 | OTHER SKIN,SUBC TISSUE&BREAST PROC W MCC | 5.19 | 0.00%  | 0.00%  | \$7,407  |
| 600 | NON-MALIGNANT BREAST DISORD W CC/MCC     | 2.29 | 0.00%  | 0.00%  | \$4,742  |
| 607 | MINOR SKIN DISORD WO MCC                 | 5.24 | 0.00%  | 0.00%  | \$11,360 |
| 645 | ENDOCRINE DISORD WO CC/MCC               | 1.91 | 0.00%  | 0.00%  | \$3,821  |
| 658 | KID&URETER PROC FOR NEOPLASM WO CC/MCC   | 1.82 | 0.00%  | 0.00%  | \$9,673  |
| 708 | MAJOR MALE PELVIC PROC WO CC/MCC         | 1.26 | 0.00%  | 0.00%  | \$11,502 |
| 723 | MALIGNANCY, MALE REPRODUCTIVE SYS W CC   | 1.82 | 0.00%  |        | \$2,356  |
| 754 | MALIG, FEMALE REPRODUCTIVE SYS W MCC     | 6.84 | 33.33% |        | \$10,423 |
| 758 | INFCT, FEMALE REPRODUCTIVE SYS W CC      | 1.71 | 0.00%  | 0.00%  | \$2,442  |
| 770 | ABORTION W D&C                           | 1.00 | 0.00%  | 0.00%  | \$5,369  |
| 840 | LYMPHOMA AND NON-ACUTE LEUKEMIA W MCC    | 7.56 | 33.33% |        | \$15,749 |
| 841 | LYMPHOMA AND NON-ACUTE LEUKEMIA W CC     | 8.14 | 33.33% |        | \$15,072 |
| 906 | HAND PROC FOR INJURIES                   | 2.00 | 0.00%  | 0.00%  | \$6,237  |
| 949 | AFTERCARE W CC/MCC                       | 2.08 | 0.00%  | 0.00%  | \$1,766  |
| 975 | HIV W MAJOR RELATED CONDITION W CC       | 4.58 | 0.00%  | 33.33% | \$7,607  |
| 998 | PDX INVALID AS DISCHARGE DIAGNOSIS       | 1.26 | 0.00%  | 0.00%  | \$4,040  |
| 11  | TRCHOS,FACE MOTH&NCK DX OR LRYNGTMY WMCC | 5.48 | 0.00%  |        | \$13,633 |
| 27  | CRNOMY/ENDOVASC INTRCRN PROC WO CC/MCC   | 1.00 | 0.00%  | 0.00%  | \$8,243  |
| 40  | PERIPH,CRN NRV OTH NRV SYS PROC W MCC    | 8.37 | 0.00%  | 0.00%  | \$15,337 |
| 41  | PERIPH,CRN NRV OTH NRV PROC W CC/NSTIM   | 3.46 | 0.00%  | 0.00%  | \$6,166  |
| 42  | PERIPH,CRN NRV OTH NRV PROC WO CC/MCC    | 1.41 | 0.00%  | 0.00%  | \$6,792  |
| 78  | HYPERTENSIVE ENCEPHALOPATHY W CC         | 3.00 | 0.00%  | 0.00%  | \$4,987  |
| 90  | CONCUSSION WO CC/MCC                     | 1.00 | 0.00%  | 0.00%  | \$3,772  |
| 124 | OTHER DISORD OF THE EYE W MCC            | 3.87 | 0.00%  | 0.00%  | \$5,114  |
| 137 | MOUTH PROC W CC/MCC                      | 8.37 | 0.00%  | 0.00%  | \$14,942 |
| 156 | OTHER EAR MOUTH&THROAT DX WO CC/MCC      | 2.24 | 0.00%  | 0.00%  | \$3,537  |
| 168 | OTH RESPIRATORY SYS O.R. PROC WO CC/MCC  | 2.83 | 0.00%  | 0.00%  | \$10,471 |
| 215 | OTHER HRT ASST SYS IMPLNT                | 2.83 | 50.00% | 0.00%  | \$50,959 |
| 217 | CARD VALVE&MAJ CARDTHOR PROC W CATH W CC | 4.24 | 50.00% | 0.00%  | \$42,982 |
| 245 | AICD GENERATOR PROC                      | 1.73 | 0.00%  | 50.00% | \$14,148 |
| 249 | PERC CV PROC W NONDRG-ELUT STENT WO MCC  | 1.41 | 0.00%  | 0.00%  | \$9,983  |
| 255 | UPPER LIMB&TOE AMP CIRC SYS DISORD W MCC | 6.00 | 0.00%  | 0.00%  | \$9,681  |

|     |  |       |         |         |          |
|-----|--|-------|---------|---------|----------|
| 259 | CARDIAC PACEMAKER DEV REPLACEMENT WO MCC | 3.00  | 0.00%   | 0.00%   | \$14,565 |
| 272 | OTHER MAJOR CARDIOVASC PROC WO CC/MCC    | 1.00  | 0.00%   | 0.00%   | \$14,964 |
| 284 | ACUTE MYCARD INFARCTION, EXPIRED W CC    | 1.41  | 100.00% |         | \$4,431  |
| 334 | RECTAL RESECTION WO CC/MCC               | 1.00  | 0.00%   | 50.00%  | \$6,828  |
| 341 | APPENDECTOMY WO COMP PRINCIPAL DX W MCC  | 4.90  | 0.00%   | 0.00%   | \$12,386 |
| 347 | ANAL AND STOMAL PROC W MCC               | 2.83  | 0.00%   | 0.00%   | \$5,314  |
| 384 | UNCOMPLICATED PEPTIC ULCER WO MCC        | 1.41  | 0.00%   | 0.00%   | \$4,010  |
| 420 | HEPATOBIILIARY DIAGNOSTIC PROC W MCC     | 8.25  | 0.00%   | 0.00%   | \$13,516 |
| 475 | AMPUTATION MS SYS&CONN TISS DISORD W CC  | 1.73  | 0.00%   | 0.00%   | \$8,052  |
| 476 | AMPUTATION MS&CONN TISS DISORD WO CC/MCC | 2.24  | 0.00%   | 0.00%   | \$7,936  |
| 485 | KNEE PROC W PDX OF INFCT W MCC           | 4.90  | 0.00%   | 0.00%   | \$12,163 |
| 487 | KNEE PROC W PDX OF INFCT WO CC/MCC       | 3.46  | 0.00%   | 0.00%   | \$8,966  |
| 488 | KNEE PROC WO PDX OF INFCT W CC/MCC       | 3.74  | 0.00%   | 0.00%   | \$9,975  |
| 533 | FRACTURES OF FEMUR W MCC                 | 14.97 | 0.00%   | 0.00%   | \$12,827 |
| 537 | SPRAINS&DISLOC HIP PELVIS&THIGH W CC/MCC | 2.45  | 0.00%   | 50.00%  | \$7,440  |
| 541 | OSTEOMYELITIS WO CC/MCC                  | 4.47  | 0.00%   | 0.00%   | \$6,359  |
| 547 | CONNECTIVE TISSUE DISORD WO CC/MCC       | 1.41  | 0.00%   | 0.00%   | \$3,187  |
| 578 | SKIN GRAFT EXCP ULCER/CLULITIS WO CC/MCC | 1.41  | 0.00%   | 0.00%   | \$4,918  |
| 592 | SKIN ULCERS W MCC                        | 1.73  | 0.00%   | 0.00%   | \$1,791  |
| 597 | MALIGNANT BREAST DISORD W MCC            | 4.90  | 0.00%   |         | \$9,250  |
| 622 | SKIN GRFT&WND DEBRID ENDOCR DISORD W MCC | 13.42 | 0.00%   | 50.00%  | \$22,797 |
| 653 | MAJOR BLADDER PROC W MCC                 | 6.71  | 50.00%  | 0.00%   | \$17,930 |
| 662 | MINOR BLADDER PROC W MCC                 | 7.94  | 50.00%  | 0.00%   | \$18,892 |
| 667 | PROSTATECTOMY WO CC/MCC                  | 1.41  | 0.00%   | 50.00%  | \$5,364  |
| 670 | TRANSURETHRAL PROC WO CC/MCC             | 3.46  | 0.00%   | 0.00%   | \$6,330  |
| 693 | URINARY STONES W MCC                     | 1.00  | 0.00%   | 0.00%   | \$2,978  |
| 709 | PENIS PROC W CC/MCC                      | 4.90  | 0.00%   | 100.00% | \$9,259  |
| 727 | INFLAMMATION MALE REPROD SYS W MCC       | 5.92  | 0.00%   | 0.00%   | \$12,623 |
| 749 | OTHER FEMALE REPROD SYS PROC W CC/MCC    | 8.49  | 0.00%   | 0.00%   | \$13,174 |
| 755 | MALIG, FEMALE REPRODUCTIVE SYS W CC      | 8.06  | 0.00%   |         | \$12,347 |
| 757 | INFCT, FEMALE REPRODUCTIVE SYS W MCC     | 19.29 | 0.00%   | 50.00%  | \$38,151 |
| 769 | POSTPARTUM&POST ABORTION DX W O.R. PROC  | 3.00  | 0.00%   | 0.00%   | \$8,772  |
| 844 | OTH MYELOPROLIF DISORD/NEOPLSTC DX W CC  | 2.83  | 0.00%   | 0.00%   | \$6,497  |
| 845 | OTH MYELOPROLIF DISORD/NEOPLSTC WOCC/MCC | 2.83  | 0.00%   |         | \$4,203  |
| 866 | VIRAL ILLNESS WO MCC                     | 2.45  | 0.00%   | 0.00%   | \$4,049  |
| 901 | WOUND DEBRIDEMENTS FOR INJURIES W MCC    | 5.48  | 0.00%   | 50.00%  | \$9,494  |
| 904 | SKIN GRAFTS FOR INJURIES W CC/MCC        | 9.64  | 0.00%   | 50.00%  | \$23,788 |
| 915 | ALLERGIC REACTIONS W MCC                 | 4.24  | 0.00%   | 50.00%  | \$10,646 |
| 939 | OR PROC W DX OTH CNTCT W HLTH SERV W MCC | 8.37  | 50.00%  | 0.00%   | \$17,619 |
| 941 | OR PROC W DX CNTCT W HLTH SERV WO CC/MCC | 3.00  | 0.00%   | 0.00%   | \$16,442 |

|     |  |       |       |         |          |
|-----|--|-------|-------|---------|----------|
| 13  | TRCHOS,FACE MOTH&NCK DX WO CC/MCC        | 4.00  | 0.00% | 0.00%   | \$10,499 |
| 32  | VENTRICULAR SHUNT PROC W CC              | 11.00 | 0.00% | 0.00%   | \$20,958 |
| 33  | VENTRICULAR SHUNT PROC WO CC/MCC         | 6.00  | 0.00% | 0.00%   | \$14,951 |
| 52  | SPINAL DISORD AND INJURIES W CC/MCC      | 5.00  | 0.00% | 0.00%   | \$5,876  |
| 76  | VIRAL MENINGITIS WO CC/MCC               | 4.00  | 0.00% | 0.00%   | \$12,854 |
| 77  | HYPERTENSIVE ENCEPHALOPATHY W MCC        | 10.00 | 0.00% | 0.00%   | \$19,211 |
| 79  | HYPERTENSIVE ENCEPHALOPATHY WO CC/MCC    | 3.00  | 0.00% | 0.00%   | \$4,903  |
| 80  | NONTRAUMATIC STUPOR&COMA W MCC           | 5.00  | 0.00% | 0.00%   | \$6,173  |
| 81  | NONTRAUMATIC STUPOR&COMA WO MCC          | 6.00  | 0.00% | 0.00%   | \$9,007  |
| 141 | MAJOR HEAD AND NECK PROC W CC            | 1.00  | 0.00% |         | \$11,196 |
| 143 | OTH EAR,NOSE,MOH&THROAT O.R. PROC W MCC  | 3.00  | 0.00% | 0.00%   | \$11,488 |
| 145 | OTH EAR,NOSE,MOH&THRT PROC WO CC/MCC     | 1.00  | 0.00% | 0.00%   | \$6,530  |
| 147 | EAR MOUTH AND THROAT MALIGNANCY W CC     | 1.00  | 0.00% |         | \$1,602  |
| 154 | OTHER EAR MOUTH&THROAT DIAGNOSES W MCC   | 9.00  | 0.00% | 0.00%   | \$15,375 |
| 196 | INTERSTITIAL LUNG DISEASE W MCC          | 8.00  | 0.00% | 0.00%   | \$9,930  |
| 197 | INTERSTITIAL LUNG DISEASE W CC           | 2.00  | 0.00% | 0.00%   | \$2,251  |
| 226 | CARD DEFIB WO CARDIAC CATH W MCC         | 2.00  | 0.00% | 0.00%   | \$27,925 |
| 248 | PERC CV PROC W NONDRG-ELUT STENT W MCC   | 6.00  | 0.00% | 0.00%   | \$14,234 |
| 250 | PERC CV PROC WO CORONARY ART STENT W MCC | 2.00  | 0.00% | 0.00%   | \$12,007 |
| 257 | UPPER LIMB&TOE AMP CIRC DISORD WO CC/MCC | 1.00  | 0.00% |         | \$5,971  |
| 258 | CARDIAC PACEMAKER DEV REPLACEMENT W MCC  | 4.00  | 0.00% | 0.00%   | \$12,431 |
| 261 | CARDIAC PACER REVIS EXCP DEV REPL W CC   | 1.00  | 0.00% | 0.00%   | \$14,456 |
| 268 | AORT HRT ASST PROC EXCP PULS BLLN W MCC  | 1.00  | 0.00% | 0.00%   | \$24,544 |
| 288 | ACUTE AND SUBACUTE ENDOCARDITIS W MCC    | 14.00 | 0.00% | 0.00%   | \$26,090 |
| 289 | ACUTE AND SUBACUTE ENDOCARDITIS W CC     | 8.00  | 0.00% | 100.00% | \$11,383 |
| 294 | DEEP VEIN THROMBOPHLEBITIS W CC/MCC      | 1.00  | 0.00% | 0.00%   | \$2,649  |
| 297 | CARDIAC ARREST, UNEXPLAINED W CC         | 1.00  | 0.00% | 0.00%   | \$2,282  |
| 338 | APPENDECTOMY W COMP PRINCIPAL DX W MCC   | 2.00  | 0.00% | 0.00%   | \$8,210  |
| 349 | ANAL AND STOMAL PROC WO CC/MCC           | 1.00  | 0.00% | 100.00% | \$5,482  |
| 370 | MAJOR ESOPHAGEAL DISORD WO CC/MCC        | 2.00  | 0.00% | 0.00%   | \$3,988  |
| 383 | UNCOMPLICATED PEPTIC ULCER W MCC         | 1.00  | 0.00% | 0.00%   | \$5,304  |
| 405 | PANCREAS, LIVER AND SHUNT PROC W MCC     | 5.00  | 0.00% | 0.00%   | \$19,700 |
| 406 | PANCREAS, LIVER AND SHUNT PROC W CC      | 15.00 | 0.00% | 100.00% | \$37,864 |
| 407 | PANCREAS, LIVER AND SHUNT PROC WO CC/MCC | 1.00  | 0.00% | 0.00%   | \$8,534  |
| 409 | BILIARY TRACT PROC EXCP ONLY CHOLE W CC  | 6.00  | 0.00% | 0.00%   | \$17,575 |
| 410 | BILIARY TRACT PROC EXCP CHOLE WO CC/MCC  | 2.00  | 0.00% | 0.00%   | \$8,218  |
| 413 | CHOLECYSTECTOMY W C.D.E. WO CC/MCC       | 3.00  | 0.00% | 0.00%   | \$9,061  |
| 421 | HEPATOBIILIARY DIAGNOSTIC PROC W CC      | 6.00  | 0.00% |         | \$12,405 |
| 434 | CIRRHOSIS&ALCOHOLIC HEPATITIS WO CC/MCC  | 1.00  | 0.00% | 0.00%   | \$1,169  |
| 456 | SP FUSN EXCP CERV CURVATURE W MCC        | 8.00  | 0.00% | 100.00% | \$26,581 |

|     |   |       |         |         |          |
|-----|---|-------|---------|---------|----------|
| 495 | LOC EXCIS&REMV INT FIX EXCP HIP& W MCC    | 4.00  | 0.00%   | 0.00%   | \$8,255  |
| 496 | LOC EXCIS&REMV INT FIX EXCP HIP& W CC     | 4.00  | 0.00%   | 0.00%   | \$10,259 |
| 497 | LOC EXCIS&REMV INT FIX EXCP WO CC/MCC     | 4.00  | 0.00%   | 0.00%   | \$10,049 |
| 503 | FOOT PROC W MCC                           | 19.00 | 0.00%   | 100.00% | \$66,471 |
| 506 | MAJOR THUMB OR JOINT PROC                 | 4.00  | 0.00%   | 0.00%   | \$8,313  |
| 508 | MAJOR SHLDR OR ELBOW JNT PROC WO CC/MCC   | 8.00  | 0.00%   | 0.00%   | \$11,752 |
| 510 | SHOULDER EXCEPT MAJOR JOINT PROC W MCC    | 7.00  | 0.00%   | 0.00%   | \$15,810 |
| 514 | HND/WRIST PROC,EXCP MAJ THM/JNT WOCC/MCC  | 1.00  | 0.00%   | 0.00%   | \$5,845  |
| 545 | CONNECTIVE TISSUE DISORD W MCC            | 24.00 | 0.00%   | 0.00%   | \$42,684 |
| 546 | CONNECTIVE TISSUE DISORD W CC             | 2.00  | 0.00%   | 0.00%   | \$2,995  |
| 553 | BONE DISEASES AND ARTHROPATHIES W MCC     | 6.00  | 0.00%   | 0.00%   | \$11,705 |
| 572 | SKIN DEBRIDEMENT WO CC/MCC                | 1.00  | 0.00%   | 100.00% | \$6,149  |
| 577 | SKIN GRAFT EXCP FOR ULCER/CLULITIS W CC   | 1.00  | 0.00%   | 0.00%   | \$4,672  |
| 594 | SKIN ULCERS WO CC/MCC                     | 1.00  | 0.00%   |         | \$1,132  |
| 596 | MAJOR SKIN DISORD WO MCC                  | 1.00  | 0.00%   | 0.00%   | \$1,242  |
| 598 | MALIGNANT BREAST DISORD W CC              | 1.00  | 0.00%   |         | \$3,016  |
| 599 | MALIGNANT BREAST DISORD WO CC/MCC         | 1.00  | 100.00% |         | \$615    |
| 606 | MINOR SKIN DISORD W MCC                   | 2.00  | 0.00%   | 0.00%   | \$2,831  |
| 624 | SKIN GRFT/WOUND DEBRID WO CC/MCC          | 1.00  | 0.00%   | 0.00%   | \$4,194  |
| 625 | THYROID,PARATHYR&THYROGLOSSAL PROC W MCC  | 3.00  | 0.00%   | 100.00% | \$14,882 |
| 655 | MAJOR BLADDER PROC WO CC/MCC              | 2.00  | 0.00%   |         | \$7,979  |
| 663 | MINOR BLADDER PROC W CC                   | 1.00  | 0.00%   | 100.00% | \$6,070  |
| 666 | PROSTATECTOMY W CC                        | 5.00  | 0.00%   | 0.00%   | \$11,327 |
| 695 | KIDNEY&URINARY TRACT SIGNS&SYMP W MCC     | 3.00  | 0.00%   | 0.00%   | \$6,904  |
| 696 | KIDNEY&URINARY TRACT SIGNS&SYMP WO MCC    | 1.00  | 0.00%   | 0.00%   | \$1,692  |
| 697 | URETHRAL STRICTURE                        | 12.00 | 0.00%   | 0.00%   | \$10,047 |
| 700 | OTHER KIDNEY&URINARY TRACT DX WO CC/MCC   | 1.00  | 0.00%   | 0.00%   | \$684    |
| 711 | TESTES PROC W CC/MCC                      | 3.00  | 0.00%   | 0.00%   | \$6,943  |
| 713 | TRANSURETHRAL PROSTATECTOMY W CC/MCC      | 3.00  | 0.00%   | 0.00%   | \$13,948 |
| 715 | OTH MALE REPROD SYS PROC MALIG W CC/MCC   | 3.00  | 0.00%   |         | \$3,427  |
| 717 | OTH MALE REPROD PROC EXCP MALIG W CC/MCC  | 13.00 | 0.00%   | 0.00%   | \$15,379 |
| 718 | OTH MALE REPROD PROC EXCP MALIG WOCC/MCC  | 2.00  | 0.00%   | 0.00%   | \$4,534  |
| 725 | BENIGN PROSTATIC HYPERTROPHY W MCC        | 7.00  | 0.00%   | 0.00%   | \$6,179  |
| 737 | UTER ADNEXA PROC OVRY/ADNXL MALIG W CC    | 2.00  | 0.00%   | 0.00%   | \$7,592  |
| 738 | UTER ADNXL PROC OVRY/ADNXMLMALIG WOCC/MCC | 3.00  | 0.00%   | 0.00%   | \$10,995 |
| 739 | UTER ADNXL PROC NON-OVRY ADNXMLMALIG WMCC | 3.00  | 0.00%   | 0.00%   | \$8,990  |
| 741 | UTER ADNXL PROC NON-OVRY MALIG WO CC/MCC  | 2.00  | 0.00%   | 0.00%   | \$7,915  |
| 759 | INFCT, FEMALE REPRODUCTIVE SYS WO CC/MCC  | 1.00  | 0.00%   | 0.00%   | \$1,252  |
| 797 | VAGINAL DELIVERY W STERZN/D&C W CC        | 2.00  | 0.00%   | 0.00%   | \$8,865  |
| 802 | OTH O.R. PROC BLD&BLD FORM ORGANS W MCC   | 10.00 | 0.00%   | 0.00%   | \$20,485 |

|     |  |       |       |         |          |
|-----|--|-------|-------|---------|----------|
| 804 | OTH O.R. PROC BLD&BLD FORM ORG WO CC/MCC | 2.00  | 0.00% | 0.00%   | \$7,610  |
| 814 | RETICULOENDOTHELIAL&IMMUN DISORD W MCC   | 14.00 | 0.00% | 100.00% | \$22,290 |
| 816 | RETICULOENDOTHELIAL&IMMUNDISORD WOCC/MCC | 1.00  | 0.00% |         | \$1,635  |
| 817 | OTHER ANTEPARTUM DX W O.R. PROC W MCC    | 3.00  | 0.00% |         | \$6,114  |
| 818 | OTHER ANTEPARTUM DX W O.R. PROC W CC     | 3.00  | 0.00% |         | \$4,939  |
| 821 | LYMPHOMA&LEUKEMIA W MAJOR O.R. PROC W CC | 5.00  |       |         | \$28,977 |
| 823 | LYMPHOMA&NON-AC LEUKEMIA W OTH PROC WMCC | 13.00 | 0.00% |         | \$19,743 |
| 826 | MYELOPROLIF DISORD/NEOPLM MAJ PROC W MCC | 3.00  | 0.00% |         | \$9,573  |
| 829 | MYELOPROLIF DISORD/NEOPLM PROC W CC/MCC  | 4.00  | 0.00% | 0.00%   | \$12,530 |
| 842 | LYMPHOMA AND NON-AC LEUK WO CC/MCC       | 1.00  |       |         | \$3,027  |
| 843 | OTH MYELOPROLIF DISORD/NEOPLSTC DX W MCC | 9.00  | 0.00% |         | \$16,452 |
| 867 | OTHER INFCT&PARASITIC DZ DIAGNOSES W MCC | 13.00 | 0.00% | 100.00% | \$22,977 |
| 868 | OTHER INFCT&PARASITIC DZ DIAGNOSES W CC  | 4.00  | 0.00% | 0.00%   | \$6,226  |
| 869 | OTHER INFCT&PARASITIC DZ DX WO CC/MCC    | 2.00  | 0.00% | 0.00%   | \$1,659  |
| 876 | O.R. PROC W PDX OF MENTAL ILLNESS        | 6.00  | 0.00% |         | \$13,407 |
| 881 | DEPRESSIVE NEUROSES                      | 1.00  | 0.00% |         | \$1,939  |
| 913 | TRAUMATIC INJURY W MCC                   | 38.00 | 0.00% |         | \$32,904 |
| 935 | NON-EXTENSIVE BURNS                      | 1.00  | 0.00% | 0.00%   | \$3,005  |
| 955 | CRANIOTOMY FOR MULT SIGNIFICANT TRAUMA   | 7.00  |       |         | \$33,188 |
| 965 | OTHER MULT SIGFN TRAM WO CC/MCC          | 3.00  | 0.00% | 0.00%   | \$3,763  |
| 974 | HIV W MAJOR RELATED CONDITION W MCC      | 2.00  | 0.00% | 0.00%   | \$3,372  |
| 977 | HIV W OR WO OTHER RELATED CONDITION      | 1.00  | 0.00% |         | \$1,144  |
| 989 | NON-XTENS OR PROC UNREL TO PDX WO CC/MCC | 6.00  | 0.00% | 0.00%   | \$9,091  |